



Cutting plotter



Instrument products



Label cutter



Others



Graphtec Supplies & Accessories

Cutting plotter	1. Cutting blade	11. Water-based fiber-tip pen holder
	2. Cutting blade holder	12. Oil-based ballpoint pen
	3. Cutting mat	13. Oil-based ballpoint pen holder
	4. Protect sheet	14. Push Roller
	5. Adsorption mat	15. Rubbing Protection Tape
	6. Cross cutter blade	
	7. Pouncing tool	
	8. Creasing / Scoring tool	
	9. Loupe	
	10. Water-based fiber-tip pen	
Instrument products	1. Cable	4. Recording Paper (Z-fold paper)
•	2. Shunt resistor	
	3. Recording paper (Roll paper)	
	4.0	
Label cutter	1. Paper core	
DLC1000	2. Cutter blade	
	3. Cutter blade holder	
	4. Cutting mat	
	5. Loupe	
Othors	1. Scanners	
Others	i. Scarriers	

 $^{*: \\ \\ \}text{Model numbers are switched to the new ones as soon as the stocks with the old model numbers run out.}$

2. Auto feeder

 $[\]ensuremath{\ast}$:Availability of items could vary depending on the regions.

Cutting plotter

Supported product CE6000Plus / CE6000 / CE7000 / CE8000/ FC8600 / FC9000 / CE LITE-50 / FC4500 / FC2250 / FCX2000 / FCX4000

Published item

1. Cutting blade 2. Cutting blade holder 3. Cutting mat 4. Protect sheet 5. Adsorption mat 6. Cross cutter blade 7. Pouncing tool 8. Creasing / Scoring tool 9. Loupe 10. Water-based fiber-tip pen 11. Water-based fiber-tip pen holder 12. Oil-based ballpoint pen holder 14. Push Roller 15. Rubbing Protection Tape

1. Cutting	blade				(Grit rol	Su ling typ		d prod	uct	Flatbe	ed type	
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CB09-L	Blade, 0.9 mm diameter. Angle 45° Life: less 2km (Paper), less 3km (Vinyl) *Limited Stock	5blades/pack		•	•	•	•	•	•	•	•	•
	CB09-E	Blade, 0.9 mm diameter. Angle 45° Life : 2-3km (Paper), 5km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•	•
	CB09UB-5	Blade, 0.9 mm diameter. Angle 45° Life : 4-5km (Paper), 10-12km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•	•
	CB09-P	Blade, 0.9 mm diameter. Angle 45° Life : 7-8km (Paper), 28-30km (Vinyl) *Limited Stock	5blades/pack		•	•	•	•	•	•	•	•	•
	CB09UB-K60-5	Blade, 0.9 mm diameter. Angle 60° For tint film, car protection film, 0.03 mm to 0.25 mm thick	5blades/pack		•	•	•	•	•				
	CB15U-5	Blade, 1.5 mm diameter. Angle 45° For heavy paper/board, 0.25 mm to 0.5 mm thick	5blades/pack		•	•	•	•	•	•	•	•	•
-	CB15U-K30-5	Blade, 1.5 mm diameter. Angle 30° For heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast, 0.25 mm to 1.1 mm thick	5blades/pack		•	•	•	•	•	•	•	•	•
	CB15UA-5	Blade, 1.5 mm diameter. Angle 45° For high-intensity reflective film (3M Engineer Grade), up to 0.5 mm thick	5blades/pack					•	•	•	•	•	•
-	CB15UA-K30-5	Blade, 1.5 mm diameter. Angle 30° For high-intensity reflective film (3M Diamond Grade), up to 1.0 mm thick	5blades/pack					•	•	•	•	•	•
4	CB30UC-1	Blade, 3.0 mm diameter. Angle 45° For cardboard and corrugated board (E,F,G flute), up to 2.0 mm thick	1blade/pack									•	•
A	PM-CB-001	Blade, 3.0 mm diameter. Angle 30° For plastic corrugated board, 1.0 mm to 3.0 mm thick	2blades/pack										•
	PM-BS-001	Blade for normal media (film, paper, others) *Limited Stock	1pc/pack	•									
	PM-BS-002	Blade for thick media (soft rubber, polyurethane sheet, up to 1 mm) *Limited Stock	1pc/pack	•									

2. Cutting b	lade holder						Su	pporte	d prod	uct			
					(Grit rol	ling typ	e			Flatbe	d type	
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PHP33-CB09N-HS	Blade holder for CB09U series blade with plastic tip	1pc/pack		•	•	•	•	•	•	•	•	•
	PHP33-CB15N-HS	Blade holder for CB15U series blade with plastic tip	1pc/pack		•	•	•	•	•	•	•	•	•
-	PM-CH-001	Blade holder for CB30UC/PM-CB-001 cutting blade	1pc/pack									•	•
-	PHP35-CB09-HS	Blade holder for CB09U series blade with metal tip	1pc/pack					•	•	•	•	•	•
-	PHP35-CB15-HS	Blade holder for CB15U series blade with metal tip	1pc/pack					•	•	•	•	•	•

3. Cutting n	nat						Su	pporte	d prod	uct			
					ď	rit rol	ing typ	e			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-001	Cutting mat for CE LITE-50 *Limited Stock	1pc/pack	•									
	CE6-CM40-2	Cutting mat for CE6000-40/PLUS	2pcs/pack		•								
	CE6-CM60-2	Cutting mat for CE6000-60/PLUS	2pcs/pack		•								
	CE6-CM120-2	Cutting mat for CE6000-120/PLUS	2pcs/pack		•								
	U621390470	Cutting mat for FC8600-60 *Limited Stock	1pc/pack					•					
	U621261470	Cutting mat for FC8600-75 *Limited Stock	1pc/pack					•					
	U621271470	Cutting mat for FC8600-100 *Limited Stock	1pc/pack					•					
	U621281470	Cutting mat for FC8600-130 *Limited Stock	1pc/pack					•					
	PM-CR-005	Cutting mat for FC9000-75	2pcs/pack						•				
	PM-CR-006	Cutting mat for FC9000-100	2pcs/pack						•				
	PM-CR-007	Cutting mat for FC9000-140	2pcs/pack						•				
	PM-CR-008	Cutting mat for FC9000-160	2pcs/pack						•				
	PM-CR-009	Cutting mat for CE7000-40	2pcs/pack			•							
	PM-CR-010	Cutting mat for CE7000-60	2pcs/pack			•							
	PM-CR-011	Cutting mat for CE7000-130/130AP	2pcs/pack			•							
	PM-CR-012	Cutting mat for CE7000-160	2pcs/pack			•							
	PM-CR-013	Cutting mat for CE8000-40	2pcs/pack				•						
	PM-CR-014	Cutting mat for CE8000-60	2pcs/pack				•						
	PM-CR-015	Cutting mat for CE8000-130	2pcs/pack	_			•						

4. Protect s	heet						Su	pporte	d prod	uct			
					ď	irit roll	ing typ	e			Flatbe	d type	
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000		FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-002A	Writing panel protect sheet (for FCX4000-50ES)	1sheet/pack								•		
	PM-CR-003A	Writing panel protect sheet (for FCX4000-60ES)	1sheet/pack								•		
	PM-CR-004A	Writing panel protect sheet (for FCX2000-120ES)	1sheet/pack										•

5. Adsorpt	ion mat						Su	pporte	d prod	uct			
					(Grit rol	ling typ	e			Flatbe	ed type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
A second	CM-0003-R1A	Double-side coated roll, size 545 mm x 20 m, for plastic materials	1roll/pack							•	•	•	•
	PM-CM-002	Cling mat for creasing, size 660 mm x 488 mm	2sheets/pack								•	•	•
T	PM-CM-003A	Carrier sheet for media without backing paper Supported media size: 330mm x 483mm (SAR3) * Please consider to use with optional carrier sheet table "OPH-A45" for CE7000-40/60. *Limited Stock	1sheet/pack	•	•	•	•						
बर	CR09300-A3	CARRIER SHEET for Cutting plotter Supported media size: 297mm×420mm (A3)	2sheets/pack				•						

6. Cross o	utter blade						Su	ıpporte	d prod	luct			
						Grit rol	ling typ	oe .			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
A STATE OF THE STA	СТ01Н	Cross cutter blade, Standard type	1pc/pack					•					
	CT02U	Cross cutter blade, High durability type	1pc/pack					•					
	PM-CC-002	Cross cutter blade, Super steel type	1pc/pack						•				

7. Pouncing							Su	pporte	d prod	uct			
				Supported product Grit rolling type Flatbed type FCX2250 CE LITE-50 FC45000 CE LITE-50									
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	~	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PPA33-TP12	Steel pin 1.2 mm diameter	1pc/pack					•	•				

8. Creasing	/ Scoring tool						Su	pporte	d prod	uct			
						Grit rol	ing typ	e			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CP-001	Stick type creasing tool, for heavy paper *Limited Stock	1pc/pack							•	•	•	•
000	CP-002	Roller type creasing tool (R0.2 mm), for heavy paper	1pc/pack									•	•
© P	CP-003	Roller type creasing tool (R0.6 mm), for cardboard	1pc/pack									•	•
	PM-CT-002	Ball on tip of stick creasing tool, for curve line on heavy paper	1pc/pack								•	•	•

• : Available

9. Loupe							Su	pporte	d prod	uct			
						irit roll	ing typ	e			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CT-001	Loupe for checking blade length, for PHP33 and PHP35 series	1pc/pack		•	•	•	•	•	•	•	•	•

10. Water-based fiber-tip pen Supported product Grit rolling type Flatbed type CE6000PLUS CE7000 CE8000 FCX4000 Item Model No. Description Package Pen, Black • • KF700-BK 10pens/pack • • • • *Limited Stock

• : Available

11. Water-l	oased fiber-t	ip pen holder		Supported product Grit rolling type Flatbed type FCX4500 FCX4500 FCX66000 FCX60000 FCX66000 FCX66000 FCX66000 FCX66000 FCX66000 FCX60000 FCX600000 FCX600000 FCX600000 FCX600000 FCX6000000 FCX6000000 FCX6000000 FCX60000000 FCX60000000 FCX600									
Item	Model No.	Description	Package	Ë	6000PLU	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
#I CE 10	PHP31-FIBER	Pen holder for KF700 series pen *Limited Stock	1set/pack		•	•	•	•	•		•	•	•

• : Available

12. Oil-base	ed ballpoint	t pen					Su	pporte	ed prod	uct			
				Grit rolling type Flatbed type									
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
0 000	КВ700-ВК	Pen, Black *Limited Stock	10 pens/pack		•	•	•	•	•	•	•	•	•

: Available


13. Oil-base	3. Oil-based ballpoint pen holder				Supported product										
					•	Grit rol	ling typ	e			Flatbe	d type			
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000		
← ■ 1 ← 16	PHP34-BALL	Pen holder for KB700-BK	1set/pack		•	•	•	•	•	•	•	•	•		
	PM-BH-002	Pen holder for G2 standard pen *Available on Nov 2025	1set/pack		•	•	•	•	•	•	•	•	•		

• : Available

14. Push roller						pporte	ed prod	product						
					ď	Grit rol	ling typ	e			Flatbe	ed type		
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000	
	U792900970	Push Rollers for CE6/CE7/FC86/FC9	10pcs/pack		•	•	•	•	•					
O f	U792900900	Push Roller with snap pin for CE6/CE7/FC86/FC9	1set/pack		•	•	•	•	•					

15. Rub	15. Rubbing Protection Tape				Supported product										
		•			c	Grit rol	ling typ	e			Flatbe	ed type			
ltem	Model No.	Description	Package	СЕ ГПЕ-20	CE6000PLUS	CE7000	CE8000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000		
C	U792999800	Rubbing Protection Tape for front guide, 19mm x 10M	1roll/pack					•	•						
				1			-	-			-	• : A	vailable		

4. Life time of CB09 series



J. Diade type	and typical application					Suppo	rted pro	duct	
We offer several h O: Best solution O: Available	nigh-quality blade for each ma	iterial so that it can b	e used in a variety of app	llications.	Grit	rolling ty	oe O	Flatbe	ed type
Item	Model No.	Diameter	Angle	Suitable media type	CE8000 CE7000 CE6000Plus	FC9000 FC8600	CE LITE-50	FCX2000	FCX4000
	CB09 series	φ0.9mm	45°	Self-adhesive marking film (vinyl, fluorescent, reflective), Paper, Heat transfer media [Thickness] up to 0.25mm	©	©		•	•
	⇒ CB09UB-K60-5	*********	60°	Tint film, Car protection film [Thickness] up to 0.25mm	•	0			
_	CB15U-5		45°	Heavy paper/board [Thickness] up to 0.5mm	•	•		0	0
	CB15U-K30-5	φ1.5mm	30°	Heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast [Thickness] up to 1.1mm	0	•		•	•
	CB15UA-5	— філяні	45°	High intensity reflective film (3M Engineer Grade) [Thickness] up to 0.5mm		0		•	•
	CB15UA-K30-5		30°	High intensity reflective film (3M Diamond Grade) [Thickness] up to 1.0mm		0		•	•
A	CB30UC-1	φ3.0mm	45°	Cardboard, Corrugated board (E,F,G flute) [Thickness] up to 2.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				0	
	→ PM-CB-001	— фз.опш	30°	Plastic corrugated board [Thickness] 1.0 ~ 3.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				©	
	PM-BS-001	φ0.9mm	45°	Normal media (film, paper, others) [Thickness] up to 0.25mm *Limited Stock			©		
	PM-BS-002	φ1.5mm	30°	Thick media (soft rubber, polyurethane sheet) [Thickness] up to 1.0mm *Limited Stock			0		

6. Blade ar	nd the corresponding	holder List			Supported holder		
• : Available			PHP33- CB09N-HS Spring built-in type	PHP35- CB09-HS Spring built-in type	PHP33- CB15N-HS Spring built-in type	PHP35- CB15-HS Spring built-in type	PM-CH-001
Blade				-			
Diameter	Item	Model No.					
φ0.9mm		CB09 series	•	•			
φυ.σπιπ		CB09UB-K60-5	•	•			
		CB15U-5			•	•	
φ1.5mm		CB15U-K30-5			•	•	
φι.эππ		CB15UA-5			•	•	
		CB15UA-K30-5			•	•	
φ3.0mm		CB30UC-1					•
(*1)		PM-CB-001					•

^(*1) Cutting accuracy is not guaranteed. Be sure to try it before using it.

Instrument products

Supported product GL7000 Plus / GL900 series / GL980 / GL2000 / GL240 / GL260 / GL840 / GL860 / GL100 series / MT100 / WR3320A series / DP-581H

Published item 1. Cable 2. Shunt resistor 3. Recording paper (Roll paper) 4. Recording Paper (Z-fold paper)

1. Cable	. Cable							9	Suppo	rted p	orodu	ct				
ltem	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240	GL260	GL840	GL860	GLT400	GL100 series	MT100	WR3320A	DP-581H
Ó'	RIC-142	Input cable, 1.5m length, 1000 VDC Voltage, CAT II (600V • CAT III)	1pc/pack	•	•	•	•									
	RIC-144A	Clip,11mm Aperture, 300VDC Voltage, CAT II , 15A Power consumption, Cable (Optional)	One Set (Red/Black)			or 43/147	,									
	RIC-146A	Clip,5mm Aperture,1000 VDC Voltage, CATⅢ, 1A Power consumption, Cable (Optional)	One Set (Red/Black)			or 43/147	,									
60	RIC-147	Input cable, 1.6m length, 1000 VDC Voltage, CAT II	One Set	•	•	•	•									

^{*}This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

: Available

2. Shunt res	2. Shunt resistor							9	Supported product										
ltem	Model No.	Description	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240	GL260	GL840	GL860	GLT400	GL100 series	MT100	WR3320A	DP-581H			
	B-551	Shunt resistor,250 ohms 0.1% (it converts the signal to the "1-5V" from the "4-20mA"),1W Power consumption, 15.8V Max. voltage	1pc/pack	•*	•	•	•	•	•	•	•	•	•	•	•				

^{*} This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

iilable

3. Recording	Recording paper (Roll paper)							s	ирро	rted p	rodu	ct				
				GL7000 Plus	GL900 series	GL980	GL2000	GL240	GL260	GL840	GL860	GLT400	GL100 series	MT100	WR3320A	DP-581H
Item	Model No.	Description	Package	Plus	eries								ries		Α	_
	PR410-2B-R5A	Chart paper, Roll, Black, 100 m, WR3320A-2H	5rolls/pack												•	
	PR412-4B-R5A	Chart paper, Roll, 40 mm x 4 ch, 100 m, WR3320-4	5rolls/pack												•	
	PR420-1B-R5A	Chart paper, Roll, 80 mm x 1 ch, 100 m, WR3320-1D	5rolls/pack												•	
	PR-210X30	Thermal paper, Black, 200 mm x 1 ch 30 m length	6rolls/pack													•
	PR230-R5A	Chart paper, Roll, Black, 110 mm x 40 m, WR300	5rolls/pack													
	PR231A-R10A	Chart paper, Roll, Black, 210 mm x 40 m, WR300 series 8&16-ch	10rolls/pack													
	PR413-6B-R5A	Chart paper, Roll, 40 mm x 6 ch, 100 m, WR3320-6	5rolls/pack												•	

4. Recording	Paper (Z-fo	old paper)						s	uppo	rted p	orodu	ct				
				GL7000 Plus	GL900 series	GL980	GL2000	GL240	GL260	GL840	GL860	GLT400	GL100 series	MT100	WR3320A	DP-581H
Item	Model No.	Description	Package	us	ies								ies			
	PZ410-2B-R5A	Chart paper, Z-fold, 40 mm x 2 ch, 100 m, WR3320-2	5pcs/pack												•	
	PZ412-4B-R5A	Chart paper, Z-fold, 40 mm x 4 ch, 100 m, WR3320-4	5pcs/pack												•	
	PZ413-6B-R5A	Chart paper, Z-fold, 40 mm x ch, 100 m, WR3320-6	5pcs/pack												•	
	PZ414-8B-R5A	Chart paper, Z-fold, 40 mm x 8 ch, 100 m, WR3320-8	5pcs/pack												•	
	PZ420-1B-R5A	Chart paper, Z-fold, 80 mm x 1 ch, 100 m, WR3320-1D	5pcs/pack												•	
	PZ422-2B-R5A	Chart paper, Z-fold, 80 mm x 2 ch, 100 m, WR3320-2D	5pcs/pack												•	
	PZ423-3B-R5A	Chart paper, Z-fold, 80 mm x 3 ch, 100 m, WR3320-3D	5pcs/pack												•	
	PZ424-4B-R5A	Chart paper, Z-fold, 80 mm x 4 ch, 100 m, WR3320-4D	5pcs/pack												•	
	PZ230-R5A	Chart paper, Z-fold, 110 mm x 40 m, WR300	5pcs/pack													
	PZ231A-R5A	Chart paper, Z-fold, 210 mm x 100 m, WR1000, WR8500, WR300	5pcs/pack													
	PZ233-R5A	Chart paper, Z-fold, Black, 210 mm x 40m, WR300 series 8&16-ch	5pcs/pack													

Digital label cutter DLC1000

Supported product DLC1000

Published item 1. Paper core 2. Cutter blade 3. Cutter blade holder 4. Cutting mat 5. Loupe

1. Paper cor	e			Supported product
Item	Model No.	Description	Package	DLC1000
	DLC-2270R-1CORE-R5	DLC Paper Core 1in×8.93in (227mm)	5cores/box	•
	PZ-WC-012	DLC Paper Core 3in×8.50in (216mm)	5cores/box	•

2. Cutter	· blade			Supported product
Item	Model No.	Description	Package	DLC1000
	── CB09-P	Blade, 0.9 mm diameter. Angle 45° Life : less 2km (Paper), less 3km (Vinyl) *Limited Stock	5blades/pack	•
	CB15U-5	Blade, 1.5 mm diameter. Angle 45° For heavy paper/board, 0.25 mm to 0.5 mm thick	5blades/pack	•

• : Available

3. Cutter	blade holder			Supported product
Item	Model No.	Description	Package	DLC1000
	PHP33-CB09N-HS	Blade holder for CB09U series blade with plastic tip	1pc/pack	•
	PHP33-CB15N-HS	Blade holder for CB15U series blade with plastic tip	1pc/pack	•

• : Available

4. Cutting mat				Supported product
Item	Model No.	Description	Package	DLC1000
	CE6-CM40-2	Cutting mat for CE6000-40/PLUS	2pcs/pack	•

5. Loupe				Supported product
Item	Model No.	Description	Package	DLC1000
	PM-CT-001	Loupe for checking blade length, for PHP33 and PHP35 series	1pc/pack	•

Others

Supported product

- 1. Scanners
- 2. Auto feeder

1. Scanners

Supported product

CSX500

Calibration sheet			Supported product	
Item	Model No.	Description	Package	CSX500
	IS0932	Calibration sheet for CSX500 series *Limited Stock	1pc/pack	•

• : Available

Carrier sheet				Supported product
Item	Model No.	Description	Package	CSX500
	IS0908	Carrier sheet A1 (596 mm x 860 m) *Limited Stock	1pc/pack	•
	IS0922	Carrier sheet A0 (896 mm x 1250 m) *Limited Stock	1pc/pack	•

• : Available

2. Auto feeder

Supported product

F-MARK / F-MARK2

Suction cups				Supported product
Item	Model No.	Description	Package	F-MARK / F-MARK2
80	U797000027	Suction cups	2pcs/pack	•